




Mechanical Mobile Ramp

Key Features:

- **MANUAL OPERATION:**
Relies on mechanical means for raising and lowering the ramp, making it suitable for areas without access to power sources.
- **DURABILITY:**
Constructed from robust materials to withstand heavy loads and frequent use.
- **VERSATILITY:**
Compatible with various types of trucks and loading docks.
- **SAFETY:**
Designed with safety features to prevent accidents and ensure the safety of operators and goods.
- **COST-EFFECTIVE:**
Typically lower initial cost compared to hydraulic ramps, but may require more manual effort to operate.

TECHNICAL SPECIFICATIONS

Model	Capacity (kg)	Platform size (mm)									
		A	B	C	D	E	F	G	H	J	I
RB-127	6000	6000	3000	1000	300	10300	1800	2100	1200	1600	400
	8000	6000	3000	1000	300	10300	1800	2100	1200	1600	400
	10000	7000	3000	1000	300	11300	1800	2100	1200	1600	400
	12000	7000	3000	1000	300	11300	1800	2100	1200	1600	400
	15000	7000	3000	1000	300	11300	1800	2100	1200	1600	400



RB-127


Hydraulic Mobile Ramp

Key Features:

- **ADJUSTABLE HEIGHT:**
Allows the ramp to be adjusted to match the height of various loading docks or trucks.
- **SMOOTH OPERATION:**
Hydraulic system provides smooth and controlled raising and lowering of the ramp.
- **VERSATILITY:**
Can be used with a variety of trucks, trailers, and loading docks.
- **DURABILITY:**
Built to withstand heavy-duty usage and harsh industrial environments.
- **EFFICIENCY:**
Increases efficiency by providing a bridge between the dock and the truck for seamless loading and unloading operations.

TECHNICAL SPECIFICATIONS

Model	Capacity (kg)	Platform size (mm)									
		A	B	C	D	E	F	G	H	J	I
RB-135	6000	6000	3000	1000	300	10300	1800	2100	1100	1600	500
	8000	6000	3000	1000	300	10300	1800	2100	1100	1600	500
	10000	7000	3000	1000	300	11300	1800	2100	1100	1600	500
	12000	7000	3000	1000	300	11300	1800	2100	1100	1600	500
	15000	7000	3000	1000	300	11300	1800	2100	1100	1600	500



RB-135